PRODUCT DISPLAY

产品展示

船用升降式止回阀（礼宝丝）——船用青铜升降式止回阀

MARINE LIFT VALVES—— MARINE BRONZE LIFT CHECK VALVES




船用铸铜直角升降式止回阀5K/16K

MARINE BRONZE 5K/16K LIFT CHECK ANGLE VALVES

JIS F 7416R/7418





UNION BONNET TYPE

Dimensions unit : mm

Rating	SIZE	Φd	L	L'	H	FF Flange				Weight (kg)
						ΦD	ΦC	t	n-Φh	
5K F7356	25A	25	120	—	77	95	75	10	4-12	2.39
	32A	32	140	—	81	115	90	12	4-15	3.80
	40A	40	160	—	91	120	95	12	4-15	4.95
5K F7415 F7416	15A	15	100	55	66/56	80	60	9	4-12	1.62/1.57
	20A	20	110	60	71/59	85	65	10	4-12	2.17/2.07
	25A	25	120	65	81/67	95	75	10	4-12	2.80/2.65
	32A	32	140	80	83/65	115	90	12	4-15	3.92/3.68
	40A	40	160	85	91/69	120	95	12	4-15	5.49/4.95
16K F7417 F7418	15A	15	110	70	66/56	95	70	12	4-15	2.37/2.36
	20A	20	120	75	71/59	100	75	14	4-15	3.05/3.01
	25A	25	130	85	81/67	125	90	14	4-19	4.42/4.36
	32A	32	160	95	83/65	135	100	16	4-19	5.87/5.67
	40A	40	180	100	91/69	140	105	16	4-19	7.67/7.12

Material List

NO.	Parts	Material
1	Body	CAC406(BC6)
2	Bnooet	CAC406(BC6)
3	Disc	CAC406(BC6)

Hydro. test pressure unit:kgf/c㎡

Rating	5	16
Body	10.5	33
Chexk seat	7.7->4	24.2->4

Max. working pressure unit:kgf/c㎡

Rating / Fluid condition	5	16
Air, pulsation water	5	16
Non shock water	7	22

PRODUCT DISPLAY

产品展示

船用升降式止回阀（礼宝丝）——船用青铜升降式止回阀

MARINE LIFT VALVES—— MARINE BRONZE LIFT CHECK VALVES




船用青铜直通升降式止回阀5K/16K


MARINE BRONZE 5K/16K LIFT CHECK GLOBE VALVES

JIS F 7415R/7417





JIS F 7356



UNION BONNET TYPE

Dimensions unit : mm

Rating	SIZE	ϕd	L	L'	H	FF Flange				Weight (kg)
						ϕD	ϕC	t	n-ϕh	
5K F7356	25A	25	120	—	77	95	75	10	4-12	2.39
	32A	32	140	—	81	115	90	12	4-15	3.80
	40A	40	160	—	91	120	95	12	4-15	4.95
5K F7415 F7416	15A	15	100	55	66/56	80	60	9	4-12	1.62/1.57
	20A	20	110	60	71/59	85	65	10	4-12	2.17/2.07
	25A	25	120	65	81/67	95	75	10	4-12	2.80/2.65
	32A	32	140	80	83/65	115	90	12	4-15	3.92/3.68
	40A	40	160	85	91/69	120	95	12	4-15	5.49/4.95
16K F7417 F7418	15A	15	110	70	66/56	95	70	12	4-15	2.37/2.36
	20A	20	120	75	71/59	100	75	14	4-15	3.05/3.01
	25A	25	130	85	81/67	125	90	14	4-19	4.42/4.36
	32A	32	160	95	83/65	135	100	16	4-19	5.87/5.67
	40A	40	180	100	91/69	140	105	16	4-19	7.67/7.12

Material List

NO.	Parts	Material
1	Body	CAC406(BC6)
2	Bnooet	CAC406(BC6)
3	Disc	CAC406(BC6)

Hydro. test pressure unit:kgf/c㎡

Rating	5	16
Body	10.5	33
Chexk seat	7.7->4	24.2->4

Max. working pressure unit:kgf/c㎡

Rating / Fluid condition	5	16
Air, pulsation water	5	16
Non shock water	7	22

PRODUCT DISPLAY

产品展示

船用空气帽 —— 空气帽


MARINE AIR VENT HEAD——MARINE AIR VENT HEAD




空气帽


MARINE AIR VENT HEAD
JIS KS91A-121/53-NO/DIN











Dimensions unit : mm

SIZE	D1	D2	D3	HT	H1	T	N	A	A3	R	WEIGHT
50A	50	105	130	175	127	14	4-Φ15	179	139	135	7.4
65A	65	130	155	204	164	14	4-Φ15	205	160	146	12.6
80A	80	145	180	244	176	14	4-Φ15	237	188	156	16
100A	100	165	200	220	160	16	8-Φ19	245	155	250	23
125A	125	200	235	250	180	16	8-Φ19	270	180	288	34
150A	150	230	265	285	208	18	8-Φ19	316	216	330	47
200A	200	280	320	365	269	20	8-Φ23	394	174	432	72
250A	250	345	385	430	314	22	12-Φ23	485	325	546	120
300A	300	390	430	530	367	22	12-Φ23	550	384	616	178
350A	350	435	480	570	415	24	12-Φ25	661	425	714	196
400A	400	495	540	640	475	24	16-Φ25	703	457	749	235
450A	450	555	605	713	522	24	16-Φ25	816	510	836	298

Material List

Parts	Material
Body	FC200
Top Cover	SS400
Side Cover	SS400
Disc	SUS304
Wire Mesh	SUS304
Bolt	SUS304
Guide Bar	SUS304
Seat Packing	N.B.R
Top Packing	N.B.R
Disc Packing	N.B.R

PRODUCT DISPLAY

产品展示

船用空气帽 —— 鹅顶空气帽

MARINE AIR VENT HEAD——MARINE GOOSE NECK AIR VENT HEAD




鹅顶空气帽

PART NO	MATERIAL
1	FC, FCD
2	SUS 304
3	BsBF
4	SUS3 304
5	N. B. R
6	FC, FCD
7	FC, FCD

MARINE GOOSE NECK B TYPE AIR VENT HEAD





Dimensions

unit : mm

Size	H	H_1	H_2	ΦD	$ΦD_1$	$ΦD_2$	Φd	E	Approx. Weinght(kg)
50A	229	112	85	128	73	PT2	80	146	11
65A	239	97	100	128	89	PT2 1/2	80	154	12
80A	267	115	105	146	101	PT3	88	170	22
100A	323	130	135	180	129	PT4	115	204	25
125A	407	178	155	232	156	PT5	150	244	30
150A	512	241	180	286	185	PT6	184	294	35
200A	630	308	200	356	238	PT8	230	355	39

PRODUCT DISPLAY

产品展示


船用空气帽 —— 焊接空气帽（台式）

MARINE AIR VENT HEAD——MARINE WELDING AIR VENT HEAD[DISC TYPE]



焊接空气帽（台式）

MARINE WELDING AIR VENT HEAD [DISC TYPE]



NO.	ITEM	MATERIAL
14	LIFTING EYE BOLT	SS400
13	PLANE WASHER	SUS304
12	HEX.BOLT	SUS304
11	BALL	SUS304
10	GASKET	NBR
9	SEAT PACKING	NBR
8	NAME PLATE	SUS316
7	WIRE MESH	SUS316
6	NET FRAME	SS400
5	PLANE WASHER	SUS304
4	HEX.BOLT	SUS304
3	SIDE COVER	SS400
2	TOP COVER	SS400
1	BODY	SS400

NDMINAL DIA.	DIMENSIONS														
	ΦD	ΦC	Φd	T	N-Φd1	L1	L2	L3	L4	L5	L6	APP.H1	H2	H3	Abt. Weight(kg)
50A	130	105	43.1	14	4-Φ15	93	147	160	132	93	19	249	158	81	8.18
65A	155	130	62.3	14	4-Φ15	105	159	200	158	105	33	288	183	92	11.2
80A	180	145	73.9	14	4-Φ19	117	171	228	178	117	40	308	196	98	14
100A	200	165	102.3	16	8-Φ19	141	225	249	167	155	30	299	197	105	20
125A	235	200	126.6	16	8-Φ19	168	268	292	192	180	38	355	220	120	27.9
150A	265	230	151	18	8-Φ19	192	308	335	221	209	46	388	245	135	36.9
200A	320	280	199.9	20	8-Φ23	240	390	420	270	258	63	458	296	158	54.4
250A	385	345	248.8	22	12-Φ23	293	477	504	324	312	80	523	344	188	79
300A	430	390	297.9	22	12-Φ23	338	560	589	373	361	99	593	395	220	103.6
350A	480	435	333.4	24	12-Φ25	374	626	653	413	397	112	650	437	236	142.6
400A	540	495	381	24	16-Φ25	422	706	745	471	455	128	720	491	274	183
450A	605	555	428.6	24	16-Φ25	470	790	828	518	502	146	787	538	303	228.5
500A	655	605	477.8	24	20-Φ25	518	876	913	567	551	165	854	586	332	274

PRODUCT DISPLAY

产品展示


船用空气帽 —— 焊接空气帽（球式）


MARINE AIR VENT HEAD——MARINE WELDING AIR VENT HEAD [BALL TYPE]



焊接空气帽（球式）

MARINE WELDING AIR VENT HEAD [BALL TYPE]





NO.	ITEM	MATERIAL
14	LIFTING EYE BOLT	SS400
13	PLANE WASHER	SUS304
12	HEX. BOLT	SUS304
11	BALL	SUS304
10	GASKET	NBR
9	SEAT PACKING	NBR
8	NAME PLATE	SUS316
7	WIRE MESH	SUS316
6	NET FRAME	SS400
5	PLANE WASHER	SUS304
4	HEX. BOLT	SUS304
3	SIDE COVER	SS400
2	TOP COVER	SS400
1	BODY	SS400

NDMINAL DIA.	DIMENSIONS														
	ΦD	ΦC	Φd	T	T1	N-Φd1	Φd2	L1	L2	L3	L4	APPROX. H1	H2	H3	Abt. Weight(kg)
50A	130	105	43.1	13.3	3	4-Φ15	155	157	247	234	208	427	301	180	24
65A	155	130	62.3	14	3	4-Φ15	163	165	255	256	223	450	317	190	27
80A	180	145	73.9	14	3	4-Φ19	171	173	263	280	239	487	346	200	31
100A	200	165	102.3	16	3	8-Φ19	185	187	279	265	187	453	332	200	35
125A	235	200	126.6	16	3	8-Φ19	205	207	315	295	207	502	373	220	43
150A	265	230	151	18	4	8-Φ19	265	268	382	362	268	570	438	282	78
200A	320	280	199.9	20	4	8-Φ23	300	303	455	437	303	646	493	317	104
250A	385	345	248.8	22	4	12-Φ23	337	340	538	516	340	760	554	355	140
300A	430	390	297.9	22	4	12-Φ23	382	385	627	611	385	849	621	400	179
350A	480	435	333.4	24	4	12-Φ25	412	415	687	673	415	914	669	432	239
400A	540	495	381	24	4	16-Φ25	454	457	775	767	457	1043	775	495	310
450A	605	555	428.6	24	4	16-Φ25	495	498	902	850	498	1214	905	580	450
500A	655	605	477.8	24	4	20-Φ25	540	543	951	941	543	1290	975	650	512

PRODUCT DISPLAY


产品展示

船用过滤器 —— 海水过滤器

MARINE STRAINER & MUD BOX——MARINE SIMPLEX WATER STRAINER




海水过滤器



MARINE SIMPLEX WATER STRAINER

JIS F 7121





Dimensions unit : mm

SIZE	Φd	L	L1	H	H1	5k FF Flange			
						ΦD	ΦC	t	n-Φh
25A	25	170	85	180	75	95	75	14	4-12
32A	32	190	95	215	85	115	90	16	4-15
40A	40	190	95	215	85	120	95	16	4-15
50A	50	200	100	240	100	130	105	16	4-15
65A	65	250	125	305	152	155	130	18	4-15
80A	80	270	135	340	154	180	145	18	4-19
100A	100	320	160	400	185	200	165	20	8-19

Dimensions unit : mm

SIZE	Φd	L	L1	H	H1	5k FF Flange				A	B	P	P1	t1	Φh1
						ΦD	ΦC	t	n-Φh						
125A	125	400	200	485	235	235	200	20	8-19	120	65	260	80	18	19
150A	150	460	230	575	290	265	230	22	8-19	130	70	310	90	20	19
200A	200	550	275	665	350	320	280	24	8-23	150	85	380	100	22	23
250A	250	680	340	825	450	385	345	26	12-23	200	100	480	140	24	25
300A	300	760	380	920	515	430	390	28	12-23	220	100	540	160	24	25
350A	335	820	410	1030	575	480	435	30	12-25	240	105	590	180	26	25
400A	380	880	440	1135	645	540	495	30	16-25	260	110	650	200	26	25

Material List


NO.	Part	Material
1	Body	FC200
2	Cover	FC200
3	Eye bolt	SF440
4	Hinge bolt	SS400

PRODUCT DISPLAY

产品展示

船用过滤器 —— 泥箱


MARINE STRAINER & MUD BOX——MARINE MUD BOX



泥箱

MARINE MUD BOX

JIS F 7203



Material List

NO.	Part	Material
1	Body (L, H)	FC200
2	Cover	FC200
3	Yoke	FCD450

Dimensions

unit : mm

SIZE	Φd	5k FF Flange				L	L1	H1	H2	H3
		ΦD	ΦC	t	n-Φh					
40A	25	120	95	12	4-15	90	22.5	145	73	110
50A	32	130	105	14	4-15	120	40	145	90	135
65A	40	155	130	14	4-15	150	52.5	180	116	160
80A	50	180	145	14	4-19	160	55	195	131	180
100A	65	200	165	16	8-19	190	70	225	152	210
125A	80	235	200	16	8-19	235	87.5	275	214	285
150A	100	265	230	22	8-19	280	110	320	267	345
200A	125	320	280	24	8-23	330	135	405	330	440
250A	150	385	345	26	12-23	380	155	525	400	500