ZBEC

产品名称	促进剂 ZBEC		
化学名称	二苄基二硫代氨基甲酸锌		
类别	二硫代氨基甲酸盐类		
分子式	$C_{30}H_{28}N_2S_4Zn$		
CAS号	14726-36-4		
技术指标			
项目	单位	指标	检测标准
形状	--	粉末	目测
外观	--	白色	目测
初熔点	℃≥	180.0	HG/T4891-2016
加热减量	%≤	0.40	HG/T4891-2016
锌含量	%	10.0～12.0	HG/T4891-2016
筛余物(100目)	%≤	0.10	HG/T4891-2016
用途	ZBEC为NR、SBR及乳胶用超促进剂。是一种安全的二硫代氨基甲酸盐类促进剂，不产生致癌物。在所有的二硫代氨基甲酸盐类促进剂中，本品具有最长的抗烧性能。是噻唑类和次磺酸胺类促进剂的活性剂。		
储存	存放在阴凉、干燥通风处，远离湿、热，避开明火和阳光。建议储存期为2年。		
包装	25千克纸塑复合袋，内衬塑料袋。或根据要求包装。		

ZBEC TDS

Product Name	Accelerator ZBEC		
Chemical name	Zinc dibenzyldithiocarbamate		
Classification	Dithiocarbamates Accelerator		
Molecular formula	$C_{30}H_{28}N_2S_4Zn$		
CAS No.	14726-36-4		
Specification			
Item	Unit	Index	Test Method
Physical Form	--	Powder	Visual
Appearance	--	White white	Visual
Initial M.P.	℃ min.	180.0	HG/T4891-2016
Loss on drying	% max.	0.40	HG/T4891-2016
Zinc content	%	10.0～12.0	HG/T4891-2016
Residue on 100mesh sieve	% max.	0.10	HG/T4891-2016
Application	ZBEC can be used as an ultra accelerator for NR,SBR and lattices. Safe in processing and not carcinogenic. Longest dithiocarbamate accelerator in scorch safety and can be used as activator for thiazoles and sulphenamides.		
Storage	To keep the bags tightly closed in a cool, well-ventilated place . And to avoid from moisture, sunshine, light and fires. The recommended max.shelf life is two years.		
Package	25kg paper bag or PP weaved bag lined with plastic bag. Or to pack as required.		